

(19) World Intellectual Property
Organization
International Bureau





(43) International Publication Date
21 April 2005 (21.04.2005)

PCT

(10) International Publication Number
WO 2005/035596 A1

- (51) International Patent Classification⁷: **C08F 10/06**, 4/654
- (21) International Application Number: PCT/US2004/026836
- (22) International Filing Date: 18 August 2004 (18.08.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/505,312 23 September 2003 (23.09.2003) US
- (71) Applicant (for all designated States except US): **DOW GLOBAL TECHNOLOGIES INC.** [US/US]; Washington Street, 1790 Building, Midland, MI 48674 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **BRADLEY, Jeffery, S.** [US/US]; 5018 Goldenwood Drive, Midland, MI 48640 (US). **CHEN, Linfeng** [US/US]; 11706 Pedernales Falls Lane, Sugar Land, TX 77478 (US). **SHEARD, William, George** [US/US]; 12907 Dove Oaks Court, Houston, TX 77041 (US). **ZUM MALLEN, Michael, Philip** [US/US]; 1902 Rosewood Lane, Sugar Land, TX 77479 (US).
- (74) Agent: **DELINE, Douglas, N.**; The Dow Chemical Company, Intellectual Property, P.O. Box 1967, Midland, MI 48641-1967 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CATALYST COMPOSITION WITH MONOCARBOXYLIC ACID ESTER INTERNAL DONOR AND PROPYLENE POLYMERIZATION PROCESS



(57) Abstract: A catalyst composition for the polymerization of propylene comprising one or more Ziegler-Natta procatalyst compositions comprising one or more transition metal compounds and one or more monoesters of aromatic carboxylic acid internal electron donors; one or more aluminum containing cocatalysts; and a mixture of two or more different selectivity control agents, said SCA mixture comprising from 70 to 98 mol percent of one or more esters of one or more aromatic monocarboxylic acids or substituted derivatives thereof, and from 30 to 2 mol percent of one or more alkoxy silane compounds containing one or more 5- or 6-membered cyclic groups optionally containing one or more Group 14, 15 or 16 heteroatoms.